

a negative control sample. **TET proteins and 5-methylcytosine oxidation in hematological cancers** Jan 19, 2017 Cancer-associated IDH1 mutations produce 2-hydroxyglutarate. .. O.A. TET proteins and the control of cytosine demethylation in cancer. **Chromatin Signaling and Diseases - Google Books Result** Jan 29, 2015 Introduction. DNA methylation on carbon 5 of cytosine is one of the best-studied epigenetic marks in mammals and is known to play crucial **Role of TET enzymes in DNA methylation, development, and cancer** Jan 29, 2015 TET proteins and the control of cytosine demethylation in cancer in cellular transformation, with an emphasis on TET enzymes and 5-hmC. **TET proteins and the control of cytosine demethylation in cancer** Apr 28, 2017 Dysregulation of DNA methylation is a prominent feature of cancers. . Function of TET proteins in passive and active DNA demethylation. . status of different cytosine derivatives, cells might be able to selectively control the **TETonic shift: biological roles of TET proteins in DNA demethylation** Jan 29, 2015 The discovery that ten-eleven translocation (TET) proteins are ?-ketoglutarate-dependent dioxygenases involved in the conversion of **TET proteins and the control of cytosine demethylation in cancer**. Role of Tet proteins in 5mC to 5hmC conversion, ES-cell self-renewal and inner cell mass TET proteins and the control of cytosine demethylation in cancer. **TET proteins and 5-methylcytosine oxidation in hematological cancers** Dec 9, 2011 Keywords: DNA methylation, 5-hydroxymethylcytosine, TET proteins, stem cells, . Do the TET proteins and 5hmC contribute to DNA demethylation? How does loss of function of TET2 lead to cancer development? . Therefore it cannot be ruled out that TET2 might also indirectly control DNA methylation, **Cancer and Zebrafish: Mechanisms, Techniques, and Models - Google Books Result Role of TET enzymes in DNA methylation, development, and cancer** TET proteins and 5-methylcytosine oxidation in hematological cancers . TET proteins are clearly implicated in the pathway of DNA demethylation (reviewed in .. Tet2 protein expression is also similarly controlled in hematopoietic lineages, **Mechanisms and functions of Tet protein-mediated 5-methylcytosine** Aug 27, 2014 DNA demethylation, Tet proteins and 5-hydroxymethylcytosine in epigenetic Tet enzymes and 5hmC are implicated in epigenetic reprogramming in vivo and in vitro. .. DNA methylation on some of the imprint control regions and meiotic gene promoters [69] [70]. Moreover .. Cancer Res., 67 (2007), pp. **TET proteins and the control of cytosine demethylation in cancer** Mar 13, 2017 The patterns of the DNA methylation mark 5-methylcytosine (5mC) .. O. A. TET proteins and the control of cytosine demethylation in cancer. **TET proteins and the control of cytosine demethylation in cancer** Genome Med. 2015 Jan 297(1):9. doi: 10.1186/s13073-015-0134-6. eCollection 2015. TET proteins and the control of cytosine demethylation in cancer. **Epigenetics, Energy Balance, and Cancer - Google Books Result** The three mammalian TET proteins, namely TET1, TET2 and TET3, are Fe²⁺- and embryonic development, stem cell function and cancer, but the mechanisms of TET proteins and methylcytosine oxidation products in DNA demethylation .. is sequenced in a 5hmC pulldown compared with a negative control sample. **TETonic shift: biological roles of TET proteins in DNA demethylation** Cancer Biol Ther 9:321329 Chen D, Wang P, Huang A, Zhang B (2006) Effects OA (2015) TET proteins and the control of cytosine demethylation in cancer. **TET proteins and the control of cytosine demethylation in cancer** The pattern of DNA methylation at cytosine bases in the genome is tightly linked to gene TET proteins and their role in regulation of DNA methylation patterns Pathways of DNA demethylation mediated by TET enzymes. .. due to different experimental protocols and patient groups as well as control cells studied. **The Genetic Basis of Haematological Cancers - Google Books Result** Apr 11, 2017 The discovery that ten-eleven translocation (TET) proteins are ?-ketoglutarate-dependent dioxygenases involved in the conversion of **Role of TET enzymes in DNA methylation, development, and cancer** The pattern of DNA methylation at cytosine bases in the genome is tightly TET genes, and especially TET2, are frequently mutated in various cancers, but how the TET proteins and their role in regulating DNA methylation and transcription. Undercover: gene control by metabolites and metabolic enzymes Genes Dev. **TET family dioxygenases and DNA demethylation in stem cells and** The discovery that ten-eleven translocation (TET) proteins are ?-ketoglutarate-dependent dioxygenases involved in the conversion of 5-methylcytosines (5-mC) **Hinokitiol induces DNA demethylation via DNMT1 and UHRF1** Jan 29, 2015 We are now starting to understand the control of TET protein activity, their roles of TET enzymes and their functions in cytosine demethylation, **TET proteins and the control of cytosine demethylation in cancer** Tet proteins can convert 5mC into 5-hydroxymethylcytosine (5hmC), such as Prader-Willi/Angelman syndrome (PWS/AS), as well as human cancers (Robertson 2005). We then discuss the role of Tet proteins in DNA demethylation as well as .. Genome-wide expression profiling of control and Tet1-depleted mouse ES **DNA methylation: TET proteins guardians of CpG islands?** Tet proteins can convert 5mC into 5-hydroxymethylcytosine (5hmC), such as Prader-Willi/Angelman syndrome (PWS/AS), as well as human cancers (Robertson 2005). We then discuss the role of Tet proteins in DNA demethylation as well as .. Genome-wide expression profiling of control and Tet1-depleted mouse ES TET proteins are

clearly implicated in the pathway of DNA demethylation .. Tet2 protein expression is also similarly controlled in hematopoietic lineages, **Mechanisms and functions of Tet protein-mediated 5-methylcytosine** BMC Cancer 14:772. doi:10.1186/1471-2407-14-772 Maegawa S, Gough SM, OA (2015) TET proteins and the control of cytosine demethylation in cancer. **Mechanisms and functions of Tet protein-mediated 5-methylcytosine** Aug 14, 2014
Keywords: TET, 5-hydroxymethylcytosine, 5mC, 5hmC, DNA methylation, DNA methylation controls diverse biological processes, including X chromosome Schematic of major DNA methylation and demethylation pathways in mammals In this review, we focus on the role of TET proteins in cancer. **Connections between TET proteins and aberrant DNA modification** Jan 29, 2015 The discovery that ten-eleven translocation (TET) proteins are α -ketoglutarate-dependent dioxygenases involved in the conversion of **DNA demethylation, Tet proteins and 5-hydroxymethylcytosine in** Feb 27, 2017 An equal volume of DMSO was treated as a vehicle control. TET proteins and the control of cytosine demethylation in cancer. Genome Med. **TET proteins and the control of cytosine demethylation in cancer** Jun 23, 2014 These patterns are reversed in the cancer genome, which exhibits widespread In the mouse, Tet3 is responsible for global demethylation of the male .. TET proteins control cytosine modifications at enhancers and prevent